Item No.: myi0001 Aluminium





Telecom Behnke GmbH Gewerbepark "An der Autobahn" Robert-Jungk-Straße 3 66459 Kirkel Germany

> Tel.: +49 (0) 68 41 / 81 77-700 Fax.: +49 (0) 68 41 / 81 77-750



myi0001

Features

- Doorbell is signalled to the smartphone or tablet (sound and push message)
- Live view and two-way communication
- Two-way communication in excellent sound quality
- Door opening and light with the touch of a fingertip
- History of the last 20 visitors (image, date and time)
- Works on the local network (LAN), internet (WAN) or UMTS without range limit. You can use a standard smartphone or tablet as the terminal device.
 The following platforms are currently supported:
 - iOS 5 and later, iPhone 4S and later, iPad 2 and later
 - Android 4 and later, smartphones and tablets with Dual-Core processor with at least 1.2GHz

The terminal device can be used as indoor unit mounted to the wall.

- Axis camera, a crystal clear live colour image
- one call button and indicator plate (Lighting by maintenance-free LEDs)
- loudspeaker and microphone

Item No.: myi0002 Stainless steel (V2A)





Telecom Behnke GmbH Gewerbepark "An der Autobahn" Robert-Jungk-Straße 3 66459 Kirkel Germany

> Tel.: +49 (0) 68 41 / 81 77-700 Fax.: +49 (0) 68 41 / 81 77-750




myi0002

Features

- Doorbell is signalled to the smartphone or tablet (sound and push message)
- Live view and two-way communication
- Two-way communication in excellent sound quality
- Door opening and light with the touch of a fingertip
- · History of the last 20 visitors (image, date and time)
- Works on the local network (LAN), internet (WAN) or UMTS without range limit. You can use a standard smartphone or tablet as the terminal device.
 The following platforms are currently supported:
 - iOS 5 and later, iPhone 4S and later, iPad 2 and later
 - Android 4 and later, smartphones and tablets with Dual-Core processor with at least 1.2GHz

The terminal device can be used as indoor unit mounted to the wall.

- Axis camera, a crystal clear live colour image
- one call button and indicator plate (Lighting by maintenance-free LEDs)
- loudspeaker and microphone



Item No.: myi0003 White powder-coated





Telecom Behnke GmbH Gewerbepark "An der Autobahn" Robert-Jungk-Straße 3 66459 Kirkel Germany

> Tel.: +49 (0) 68 41 / 81 77-700 Fax.: +49 (0) 68 41 / 81 77-750



myi0003

Features

- Doorbell is signalled to the smartphone or tablet (sound and push message)
- · Live view and two-way communication
- Two-way communication in excellent sound quality
- · Door opening and light with the touch of a fingertip
- · History of the last 20 visitors (image, date and time)
- Works on the local network (LAN), internet (WAN) or UMTS without range limit. You can use a standard smartphone or tablet as the terminal device.
 The following platforms are currently supported:
 - iOS 5 and later, iPhone 4S and later, iPad 2 and later
 - Android 4 and later, smartphones and tablets with Dual-Core processor with at least 1.2GHz

The terminal device can be used as indoor unit mounted to the wall.

- Axis camera, a crystal clear live colour image
- one call button and indicator plate (Lighting by maintenance-free LEDs)
- loudspeaker and microphone

Rear section of casing

Item No.: myi0004 Gold anodised





Telecom Behnke GmbH Gewerbepark "An der Autobahn" Robert-Jungk-Straße 3 66459 Kirkel Germany

> Tel.: +49 (0) 68 41 / 81 77-700 Fax.: +49 (0) 68 41 / 81 77-750



myi0004

Features

- Doorbell is signalled to the smartphone or tablet (sound and push message)
- · Live view and two-way communication
- Two-way communication in excellent sound quality
- Door opening and light with the touch of a fingertip
- · History of the last 20 visitors (image, date and time)
- Works on the local network (LAN), internet (WAN) or UMTS without range limit. You can use a standard smartphone or tablet as the terminal device.
 The following platforms are currently supported:
 - iOS 5 and later, iPhone 4S and later, iPad 2 and later
 - Android 4 and later, smartphones and tablets with Dual-Core processor with at least 1.2GHz

The terminal device can be used as indoor unit mounted to the wall.

- Axis camera, a crystal clear live colour image
- one call button and indicator plate (Lighting by maintenance-free LEDs)
- loudspeaker and microphone

